

[This question paper contains 12 printed pages.]

Your Roll No.....

Sr. No. of Question Paper : 5238

H

Unique Paper Code : 2922101203

Name of the Paper : Statistics for Business Economics – I

Name of the Course : B.A. (Hons.) Business Economics (2023)

Semester : II

Duration : 3 Hour

Maximum Marks : 90

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. Attempt **all** questions. Choice is available within each question.
3. Use of simple calculator is allowed.
4. Required statistical tables are attached with this paper.

1. Attempt any **three** questions :

(3×10=30)

(a) A sample of the daily earnings of a food vendor on a street outside a college was collected for 300 days. The distribution of earnings is as follows :

P.T.O.

5238

2

Earning Range (Rs.):	100-200	200-250	250-300	300-400	400-600
No. of days:	40	60	50	70	80

- (i) On what percentage of the days did the vendor earn less than Rs. 270?
- (ii) Construct a histogram for the above data and comment on its symmetry.
- (b) Given the following data: 15.0, 13.0, 18.0, 14.5, 12.0, 11.0, 8.9, 8.0
- (i) Determine the values of the sample mean, sample median, 12.5% trimmed mean and compare these values.
- (ii) How will the median change if the two observations 18.0 and 12.0 are changed to 20 and 14 respectively.
- (c) A sample of 19 offshore oil workers took part in a simulated escape exercise, resulting in the accompanying data on time (sec) to complete the escape

~~5/10~~ 55 60 70 75 85 85 90 90 92 94 94 95 98 100 115 125 190

- (i) Construct a boxplot and comment on its features.

- (ii) How large or small does an observation have to be to qualify as an outlier? Are there any outliers in the sample? Any extreme outliers?
- (d) (i) Pearson measure of Skewness for a distribution is 0.4 and coefficient of variation is 30%. Mode is 0.88. Find the mean and median of the distribution.
- (ii) If $\sqrt{\beta_1} = 1$, $\beta_2 = 4$ and variance = 9, find the values of third and fourth central moments and comment upon the nature of the distribution.

2. Attempt any **four** questions :

(4×10=40)

- (a) (i) If the probability that student A will fail a certain statistics examination is 0.5, the probability that student B will fail the examination is 0.2, and the probability that both student A and student B will fail the examination is 0.1, what is the probability that at least one of these two students will fail the examination.
- (ii) If $P(A) = 0.3$, $P(B) = 0.2$ and $P(A \cap B) = 0.1$, determine the following probabilities :
- (i) $P(A \cup B)$
- (ii) $P(A' \cap B)$
- (iii) $P(A \cap B')$
- (iv) $P(A \cup B')$

(b) A joint probability mass function for discrete variable X and Y is as follows :

X ↓ \ Y →	10	20	30
5	0.1	0.05	0
6	0.15	0.25	0.05
7	0.05	0.2	0.15

Calculate

- (i) E(X)
- (ii) Variance of Y
- (iii) Conditional distribution of X given that $Y \geq 20$.

(c) If the joint probability density of X and Y is given by

$$f(x) = \begin{cases} \frac{1}{4}(2x + y) & 0 < x < 1; 0 < y < 2 \\ 0 & \text{otherwise} \end{cases}$$

Find

- (i) the marginal density of X and Y;
- (ii) the conditional density of ~~A~~^X given $Y = 1$.
- (iii) Also determine whether the two random variables are independent.

- (d) (i) If X is the random variable whose cdf is given by $F(x)$:

$$F(x) = \begin{cases} 0 & x < 0 \\ x + \frac{1}{2} & 0 \leq x < \frac{1}{2} \\ 1 & x \geq \frac{1}{2} \end{cases}$$

Find

- (i) $P\left(X \leq \frac{1}{4}\right)$, (ii) $P\left(0 < X \leq \frac{1}{4}\right)$,
 (iii) $P(X = 0)$ (iv) $P\left(0 \leq x \leq \frac{1}{4}\right)$

- (ii) If X is a continuous random variable with probability density function

$$f(x) = \begin{cases} \frac{x}{6} + K & 0 \leq x \leq 3 \\ 0 & \text{otherwise} \end{cases}$$

- (i) Find the value of K and $P(1 \leq X \leq 2)$.
- (e) (i) If the probability that an individual suffers a bad reaction from injection of a given serum is 0.001, determine the probability that out of 2000 individuals (a) exactly 3 and (b) more than 2 individuals will suffer a bad reaction.
- (ii) 500 tubes manufactured by a company have a mean lifetime of 800 hrs and a standard deviation of 60 hrs. Assuming the distribution to be normally distributed, how many tubes will have a mean lifetime of (i) between 790 and 810 hrs, (ii) less than 785 hrs.

3. Attempt any **two** of the following :

(a) (i) Write a brief note on the coefficient of correlation and its properties.

(ii) Find the coefficient of correlation from the following data and interpret its value :

X	10	6	9	12	13
Y	6	4	5	8	7

(b) Find the rank correlation between the two variables X and Y :

Marks	50	55	55	60	68	70	74	80
I.Q	90	110	95	105	120	125	115	118

(c) (i) The coefficient of correlation between two variables X and Y is 0.4 and their covariance is 10. If the variance of X series is 9, find the standard deviation of Y.

(ii) The correlation coefficient between two variables X and Y is found to be 0.4. What is the correlation between $2X$ and $(-Y)$?

4. Attempt any **two** questions :

(2×5=10)

(a) The following are the index no.s of wholesale prices of a certain commodity :

Year	2012	2013	2014	2015	2016	2017
Index no.	100	118	128	156	220	260

- (i) Shift the base to 2014 and obtain new index numbers.
- (b) Splice the given two series as to make 'A' a continuous series,
- (i) A = Old series and (ii) B = New series.

Handwritten notes:
 New to old
 New index Old over 100

Year	A = Index (old series)	B = Index (new series)
2006	95	
2007	110	
2008	115	
2009	120	100
2010		104
2011		106
2012		112

- (c) (i) The following tables give the annual income of a person and the general price index for the period 2015 to 2019. Prepare the index number to show real income of a person.

Year	Annual Income in Rs.	Price Index Number
2015	25000	100
2016	30000	120
2017	40000	145
2018	50000	160
2019	60000	200

- (ii) The consumer price index over a certain period increased from 130 to 250 and wages of a worker increased from Rs. 1700 to Rs. 3100. What is the gain or loss to the worker?

A-4 Appendix Tables

Table A.1 Cumulative Binomial Probabilities (cont.)

$$B(x, n, p) = \sum_{r=0}^x b(r, n, p)$$

e. $n = 25$

x	p														
	0.01	0.05	0.10	0.20	0.25	0.30	0.40	0.50	0.60	0.70	0.75	0.80	0.90	0.95	0.99
0	.778	.277	.072	.004	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
1	.974	.642	.271	.027	.007	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000
2	.998	.873	.537	.098	.032	.009	.000	.000	.000	.000	.000	.000	.000	.000	.000
3	1.000	.966	.764	.234	.096	.033	.002	.000	.000	.000	.000	.000	.000	.000	.000
4	1.000	.993	.902	.421	.214	.090	.009	.000	.000	.000	.000	.000	.000	.000	.000
5	1.000	.999	.967	.617	.378	.193	.029	.002	.000	.000	.000	.000	.000	.000	.000
6	1.000	1.000	.991	.780	.561	.341	.074	.007	.000	.000	.000	.000	.000	.000	.000
7	1.000	1.000	.998	.891	.727	.512	.154	.022	.001	.000	.000	.000	.000	.000	.000
8	1.000	1.000	1.000	.953	.851	.677	.274	.054	.004	.000	.000	.000	.000	.000	.000
9	1.000	1.000	1.000	.983	.929	.811	.425	.115	.013	.000	.000	.000	.000	.000	.000
10	1.000	1.000	1.000	.994	.970	.902	.586	.212	.034	.002	.000	.000	.000	.000	.000
11	1.000	1.000	1.000	.998	.980	.956	.732	.345	.078	.006	.001	.000	.000	.000	.000
12	1.000	1.000	1.000	1.000	.997	.983	.846	.500	.154	.017	.003	.000	.000	.000	.000
13	1.000	1.000	1.000	1.000	.999	.994	.922	.655	.268	.044	.020	.002	.000	.000	.000
14	1.000	1.000	1.000	1.000	1.000	.998	.966	.788	.414	.098	.030	.006	.000	.000	.000
15	1.000	1.000	1.000	1.000	1.000	1.000	.987	.885	.575	.189	.071	.017	.000	.000	.000
16	1.000	1.000	1.000	1.000	1.000	1.000	.996	.946	.726	.323	.149	.047	.000	.000	.000
17	1.000	1.000	1.000	1.000	1.000	1.000	.999	.978	.846	.488	.273	.109	.002	.000	.000
18	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.993	.926	.659	.439	.220	.009	.000	.000
19	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.998	.971	.807	.622	.383	.033	.001	.000
20	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.991	.910	.786	.579	.098	.007	.000
21	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.998	.967	.904	.766	.236	.034	.000
22	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.991	.968	.902	.463	.127	.002
23	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.998	.993	.973	.729	.358	.026
24	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	.999	.999	.996	.928	.723	.222

Table A.2 Cumulative Poisson Probabilities

$$F(x, \mu) = \sum_{r=0}^x \frac{e^{-\mu} \mu^r}{r!}$$

x	μ									
	.1	.2	.3	.4	.5	.6	.7	.8	.9	1.0
0	.905	.819	.741	.670	.607	.549	.497	.449	.407	.368
1	.995	.982	.963	.938	.910	.878	.844	.809	.772	.736
2	1.000	.999	.996	.992	.986	.977	.966	.953	.937	.920
3		1.000	1.000	.999	.998	.997	.994	.991	.987	.981
4				1.000	1.000	1.000	.999	.999	.998	.996
5							1.000	1.000	.999	.999
6									1.000	.999
										1.000

(continued)

Copyright 2010 Cengage Learning. All Rights Reserved. May not be copied, scanned, or duplicated, in whole or in part. Due to electronic rights, some third party content may be suppressed from the eBook and/or eChapter(s). Editorial review has deemed that any suppressed content does not materially affect the overall learning experience. Cengage Learning reserves the right to remove additional content at any time if subsequent rights restrictions require it.


Table A.2 Cumulative Poisson Probabilities (cont.)

$$F(x; \mu) = \sum_{y=0}^x \frac{e^{-\mu} \mu^y}{y!}$$

x	μ										
	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	15.0	20.0
0	.135	.050	.018	.007	.002	.001	.000	.000	.000	.000	.000
1	.406	.199	.092	.040	.017	.007	.003	.001	.000	.000	.000
2	.677	.423	.238	.125	.062	.030	.014	.006	.003	.000	.000
3	.857	.647	.433	.265	.151	.082	.042	.021	.010	.000	.000
4	.947	.815	.629	.440	.285	.173	.100	.055	.029	.001	.000
5	.983	.916	.785	.616	.446	.301	.191	.116	.067	.003	.000
6	.995	.966	.889	.762	.606	.450	.313	.207	.130	.008	.000
7	.999	.988	.949	.867	.744	.599	.453	.324	.220	.018	.001
8	1.000	.996	.979	.932	.847	.729	.593	.456	.333	.037	.002
9		.999	.992	.968	.916	.830	.717	.587	.458	.070	.005
10		1.000	.997	.986	.957	.901	.816	.706	.583	.118	.011
11			.999	.995	.980	.947	.888	.803	.697	.185	.021
12			1.000	.998	.991	.973	.936	.876	.792	.268	.039
13				.999	.996	.987	.966	.926	.864	.363	.066
14				1.000	.999	.994	.983	.959	.917	.466	.105
15					.999	.998	.992	.978	.951	.568	.157
16					1.000	.999	.996	.989	.973	.664	.221
17						1.000	.998	.995	.986	.749	.297
18							.999	.998	.993	.819	.381
19							1.000	.999	.997	.875	.470
20								1.000	.998	.917	.559
21									.999	.947	.644
22									1.000	.967	.721
23										.981	.787
24										.989	.843
25										.994	.888
26										.997	.922
27										.998	.948
28										.999	.966
29										1.000	.978
30											.987
31											.992
32											.995
33											.997
34											.999
35											.999
36											1.000

A-6 Appendix Tables

Table A.3 Standard Normal Curve Areas



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0017	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0038
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0352	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0722	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3482
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
-0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

(continued)

